

ROUND PRO-RING
Material Selection Chart



Amount of Slope	No. of Angle Rings	High Side Measurement	Low Side Measurement
1/4"	2	2 5/8"	2 3/8"
1/2"	2	2 3/4"	2 1/4"
3/4"	2	2 7/8"	2 1/8"
1"	1	1 3/4"	3/4"
1 1/4"	2	3 1/8"	1 7/8"
1 1/2"	2	3 1/4"	1 3/4"
1 3/4"	2	3 3/8"	1 5/8"
2"	2	3 1/2"	1 1/2"
2 1/4"	3	4 7/8"	2 5/8"
2 1/2"	3	5"	2 1/2"
2 3/4"	3	5 1/8"	2 3/8"
3"	3	5 1/4"	2 1/4"

Grade Height Inches	Finish Rings										Grade Rings		
	F-075	F-100	F-125	F-150	F-175	F-200	F-225	F-250	F-400	F-600	G-200	G-400	G-600
3/4"	1												
1"		1											
1 1/4"			1										
1 1/2"				1									
1 3/4"					1								
2"						1							
2 1/4"							1						
2 1/2"								1					
2 3/4"	1										1		
3"		1									1		
3 1/4"			1								1		
3 1/2"				1							1		
3 3/4"					1						1		

4"									1				
4 1/4"							1				1		
4 1/2"								1			1		
4 3/4"	1											1	
5"		1										1	
5 1/4"			1									1	
5 1/2"				1								1	
5 3/4"					1							1	
6"									1				
6 1/4"							1					1	
6 1/2"								1				1	
6 3/4"	1												1
7"		1											1
7 1/4"			1										1
7 1/2"				1									1

ROUND PRO-RING
Material Selection Chart



Grade Height Inches	Finish Rings										Grade Rings		
	F-075	F-100	F-125	F-150	F-175	F-200	F-225	F-250	F-400	F-600	G-200	G-400	G-600
7 3/4"					1								1
8"						1							1
8 1/4"							1						1
8 1/2"								1					1
8 3/4"	1										1		1
9"		1									1		1
9 1/4"			1								1		1
9 1/2"				1							1		1
9 3/4"					1						1		1

10"									1				1
10 1/4"							1				1		1
10 1/2"								1			1		1
10 3/4"	1											1	1
11"		1										1	1
11 1/4"			1									1	1
11 1/2"				1								1	1
11 3/4"					1							1	1
12"										1			1
12 1/4"							1					1	1
12 1/2"								1				1	1
12 3/4"	1												2
13"		1											2
13 1/4"			1										2
13 1/2"				1									2
13 3/4"					1								2
14"						1							2

14 1/4"							1						2
14 1/2"								1					2
14 3/4"	1										1		2
15"		1									1		2
15 1/4"			1								1		2
15 1/2"				1							1		2
15 3/4"					1						1		2
16"									1				2

You Tube SEE THE INSTALLATION VIDEO: https://www.youtube.com/watch?v=w_ZEAw-OVFU

Example:
 You have 8" grade adjustment on the high side and 7.5" on the low side for 1/2" slope:
 8" -2.75" = 5.25" of grade & finish & 2 angle rings
 You may choose to subtract another 1/4" of an inch to get your finished frame 1/4" below finished pavement so plow blades don't hit it.
 So, 8"-2.75"-0.25" = 5" of grade & finish rings